PRINTED: 12/24/2014 FORM APPROVED

Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING:		(X3) DATE SURVEY COMPLETED	
			A. BUILDING.			`
012007		B. WING		12/22/2014		
NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE						
RIVER CROSSING ASSISTED LIVING 2400 MARKET ST CHARLESTOWN, IN 47111						
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTIO (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPI DEFICIENCY)	ACTION SHOULD BE COMPLETE DATE	
R 000	0 INITIAL COMMENTS		R 000			
	INITIAL COMMENTS:					
	This visit was for the Investigation of Complaint IN00160751.					
	Complaint IN00160751- Substantiated. No deficiencies related to the allegations are cited.					
	Survey date: December 22, 2014					
	Facility number: 012007 Provider number: 012007 AIM number: N/A					
	Survey team: Trudy Lytle, RN-TC					
	Census bed type: Residential: 100 Total: 100					
	Census payor type: Medicaid: 81 Private: 22 Total: 103					
		ed Living was found to be in IAC 16.2-5 in regard to the plaint IN00160751.				
	Quality Review 12/23	3/14 by Lisa McColly				

Indiana State Department of Health
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE (X6) DATE